

## Prof. Dr. ALTUĞ ÖZPİNECİ

### Kişisel Bilgiler

İş Telefonu: [+90 312 210 5051](tel:+903122105051)

Fax Telefonu: [+90 312 210 3299](tel:+903122103299)

E-posta: [ozpineci@metu.edu.tr](mailto:ozpineci@metu.edu.tr)

Web: <http://www.metu.edu.tr/~ozpineci>

### Uluslararası Araştırmacı ID'leri

ScholarID: [zxTS6qsAAAAJ](https://scholar.google.com/citations?user=zxTS6qsAAAAJ)

ORCID: [0000-0003-0791-7658](https://orcid.org/0000-0003-0791-7658)

Publons / Web Of Science ResearcherID: [N-8705-2014](https://publons.com/author/urn:lsid:iml.org:urn:nbn:org:publons:N-8705-2014)

ScopusID: [6604021545](https://scopus.com/authid/detail.uri?authorId=6604021545)

Yoksis Araştırmacı ID: [55366](https://yoksis.metu.edu.tr/yoksis/55366)

### Eğitim Bilgileri

Doktora, Orta Doğu Teknik Üniversitesi, Fen Bilimleri Enstitüsü, Fizik (Dr), Türkiye 1999 - 2001

Yüksek Lisans, İhsan Doğramacı Bilkent Üniversitesi, Mühendislik Ve Fen Bilimleri Enstitüsü, Fizik (YI) (Tezli), Türkiye 1998 - 1999

Lisans, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, Türkiye 1994 - 1997

Lisans Çift Anadal, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Matematik Bölümü, Türkiye 1994 - 1997

### Yabancı Diller

İspanyolca, A2 Temel

İtalyanca, B2 Orta Üstü

İngilizce, C1 İleri

### Araştırma Alanları

Fizik, Temel Parçacıklar ve Alanlar , Özel reaksiyonlar ve fenomenoloji, Temel Bilimler

### Akademik Unvanlar / Görevler

Prof. Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2010 - Devam Ediyor

Doç. Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2008 - 2010

Yrd. Doç. Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2005 - 2008

Araştırma Görevlisi, Infn, Bari, İtalya, 2004 - 2005

Araştırma Görevlisi, Ictp, Yüksek Enerji Fiziği, 2001 - 2004

Araştırma Görevlisi, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1999 - 2001

Araştırma Görevlisi, İhsan Doğramacı Bilkent Üniversitesi, Fen Fakültesi, Fizik Bölümü, 1998 - 1999

## Akademik İdari Deneyim

Dekan, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2021 - Devam Ediyor  
Bölüm Başkanı, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2017 - 2021  
Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2016 - 2017  
Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 2011 - 2015

## Yönetilen Tezler

ÖZPİNECİ A., Radiative transitions of non-strange doubly heavy octet baryons to decuplet baryons, Yüksek Lisans, E.AŞKAN(Öğrenci), 2022  
ÖZPİNECİ A., Mass splittings of heavy quark spin symmetry partners of  $X(3872)$  in QCD sum rules, Yüksek Lisans, H.ÇETİN(Öğrenci), 2021  
ÖZPİNECİ A., XMM-Newton ve Chandra gözlemlerinin verilerine dayalı dört amanyetik kataklismik değişkenin yüksek çözünürlüklü X-ışını spektroskopileri., Doktora, Ç.Gamsızkan(Öğrenci), 2019  
Gümüş H., Özpineci A.,  $X(3872)$  Mezonunun Pertürbatif Olmayan Yöntemlerle İncelenmesi, Doktora, H.MUTUK(Öğrenci), 2018  
ÖZPİNECİ A., Mezon moleküllerine kuarkonyum katkısı, Doktora, E.CİNCİOĞLU(Öğrenci), 2016  
ÖZPİNECİ A., Leading twist light cone distribution amplitudes of p-wave heavy quarkonia and their couplings to pseudoscalar and vector mesons, Doktora, M.ALİ(Öğrenci), 2016  
ÖZPİNECİ A., Heavy mesons in heavy quark effective theory, Yüksek Lisans, A.ELPE(Öğrenci), 2016  
ÖZPİNECİ A., Meson spectrum in non-relativistic quark models, Yüksek Lisans, F.DİDEM(Öğrenci), 2014  
ÖZPİNECİ A., Ağır kuarkonya tayflarının kuark modeli ile incelenmesi., Yüksek Lisans, T.Takan(Öğrenci), 2012  
ÖZPİNECİ A.,  $D^* D \Pi$  coupling constant in 2+1 flavor lattice QCD, Yüksek Lisans, K.UTKU(Öğrenci), 2012  
ÖZPİNECİ A., Study of heavy quarkonia spectroscopy in the quark model, Yüksek Lisans, T.TAKAN(Öğrenci), 2012  
ÖZPİNECİ A., Rapidly rotating ultracold atoms in harmonic traps, Doktora, N.GHAZANFARİ(Öğrenci), 2011  
ÖZPİNECİ A., Properties of light and heavy baryons in light cone QCD sum rules formalism, Doktora, K.AZİZİ(Öğrenci), 2009  
ÖZPİNECİ A., Eta-Eta prime mixing in chiral perturbation theory, Yüksek Lisans, A.KOKULU(Öğrenci), 2008  
ÖZPİNECİ A., Strong decays of the  $DSJ(2317)$  mesons using QCD sum rules, Yüksek Lisans, U.AYDEMİR(Öğrenci), 2007  
ÖZPİNECİ A.,  $DsJ(2317)$  and  $DsJ(2460)$  mezonlarının özelliklerinin kuark modeli ve QCD toplam kuralları ile incelenmesi., Yüksek Lisans, A.Tandoğan(Öğrenci), 2007  
ÖZPİNECİ A., Study of  $DSJ(2317)$  and  $DSJ(2460)$  meson properties within the quark model and QCD sum rules, Yüksek Lisans, A.TANDOĞAN(Öğrenci), 2007

## SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. **Reanalysis of rare radiative  $E_b \rightarrow E-\gamma$  decay in QCD**  
ALİYEV T., ÖZPİNECİ A., Sarac Y.  
Physical Review D, cilt.109, sa.5, 2024 (SCI-Expanded)
- II. **Radiative decays of the spin- 3/2 to spin- 1/2 doubly heavy baryons in QCD**  
Alyev T., Aşkan E., Özpineci A.  
Physical Review D, cilt.108, sa.5, 2023 (SCI-Expanded)
- III. **Semileptonic Bc decays to P-wave charmonia in the light-cone QCDSR**  
AKAN T., Cincioglu E., ÖZPİNECİ A., TEĞMEN A.  
Nuclear Physics A, cilt.1034, 2023 (SCI-Expanded)
- IV. **The effects of charmonium on the properties of the 1++ hidden charm poles in effective field theory**  
Cincioglu E., ÖZPİNECİ A., Yildirim Yılmaz D.  
Nuclear Physics A, cilt.1014, 2021 (SCI-Expanded)

- V. **On the calculation of covariant expressions for Dirac bilinears**  
Olpak M. A., Ozpineci A.  
EUROPEAN PHYSICAL JOURNAL C, cilt.81, sa.9, 2021 (SCI-Expanded)
- VI. **B  $\rightarrow$  T transition form factors in light-cone sum rules**  
Aliev T., Dag H., Kokulu A., Özpıneci A.  
PHYSICAL REVIEW D, cilt.100, sa.9, 2019 (SCI-Expanded)
- VII. **Radiative decay of the X(3872) as a mixed molecule-charmonium state in effective field theory**  
Cincioglu E., ÖZPİNECİ A.  
PHYSICS LETTERS B, cilt.797, 2019 (SCI-Expanded)
- VIII. **X(3872) and its heavy quark spin symmetry partners in QCD sum rules**  
Mutuk H., Sarac Y., Gumus H., ÖZPİNECİ A.  
EUROPEAN PHYSICAL JOURNAL C, cilt.78, sa.11, 2018 (SCI-Expanded)
- IX. **Light cone distribution amplitudes of excited p-wave heavy quarkonia at leading twist**  
Olpak M. A., ÖZPİNECİ A., Tanriverdi V.  
PHYSICAL REVIEW D, cilt.96, sa.1, 2017 (SCI-Expanded)
- X. **Axial vector transition form factors of N  $\rightarrow$  Delta in QCD**  
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.  
NUCLEAR PHYSICS B, cilt.913, ss.132-150, 2016 (SCI-Expanded)
- XI. **Tensor form factors of the octet hyperons in QCD**  
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.94, sa.9, 2016 (SCI-Expanded)
- XII. **Quarkonium Contribution to Meson Molecules**  
Cincioglu E., Nieves J., ÖZPİNECİ A., YILMAZER A. U.  
EUROPEAN PHYSICAL JOURNAL C, cilt.76, sa.10, 2016 (SCI-Expanded)
- XIII. **Isvector axial vector form factors of octet-decuplet hyperon transition in QCD**  
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.  
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.42, sa.1, 2015 (SCI-Expanded)
- XIV. **Isvector axial vector and pseudoscalar transition form factors of Delta in QCD**  
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.90, sa.5, 2014 (SCI-Expanded)
- XV. **Detecting the long-distance structure of the X(3872)**  
Guo F., Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.  
European Physical Journal C, cilt.74, sa.5, ss.1-10, 2014 (SCI-Expanded)
- XVI. **X(3872) and its partners in the heavy quark limit of QCD**  
Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Zamiralov V.  
Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, cilt.727, sa.4-5, ss.432-437, 2013 (SCI-Expanded)
- XVII. **Hidden beauty molecules within the local hidden gauge approach and heavy quark spin symmetry**  
ÖZPİNECİ A., Xiao C., Oset E.  
Physical Review D - Particles, Fields, Gravitation and Cosmology, cilt.88, sa.3, 2013 (SCI-Expanded)
- XVIII. **QCD sum rules for the coupling constants of vector mesons to octet baryons**  
Zamiralov V., ÖZPİNECİ A., Erkol G.  
Moscow University Physics Bulletin, cilt.68, sa.3, ss.205-209, 2013 (SCI-Expanded)
- XIX. **Vector and axial-vector couplings of D and D\* mesons in 2+1 flavor lattice QCD**  
Can K. U., ERKOL G., Oka M., ÖZPİNECİ A., Takahashi T. T.  
PHYSICS LETTERS B, cilt.719, ss.103-109, 2013 (SCI-Expanded)
- XX. **Semileptonic transition of Sigma(b) to Sigma in light cone QCD sum rules**  
AZİZİ K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y., SUNDU PAMUK H.  
PHYSICAL REVIEW D, cilt.85, sa.1, 2012 (SCI-Expanded)
- XXI. **Tensor form factors of nucleon in QCD**  
ERKOL G., ÖZPİNECİ A.

- PHYSICS LETTERS B, cilt.704, sa.5, ss.551-558, 2011 (SCI-Expanded)
- XXII. **Isvector axial-vector form factors of octet baryons in QCD**  
ERKOL G., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.83, sa.11, 2011 (SCI-Expanded)
- XXIII. **Mixing angle of hadrons in QCD: A new view**  
ALIYEV T., ÖZPİNECİ A., Zamiralov V.  
PHYSICAL REVIEW D, cilt.83, sa.1, 2011 (SCI-Expanded)
- XXIV. **The semileptonic B to K-1(1270,1400) decays in QCD sum rules**  
Dag H., ÖZPİNECİ A., ZEYREK M. T.  
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.38, sa.1, 2011 (SCI-Expanded)
- XXV. **g(Sigma Q Sigma Q pi) coupling constant via light cone QCD sum rules**  
AZİZİ K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y.  
PHYSICAL REVIEW D, cilt.82, sa.7, 2010 (SCI-Expanded)
- XXVI. **Mass Formulas for Xi(c) and Xi(b) Baryons**  
Aliev T., Zamiralov V. S., ÖZPİNECİ A.  
PHYSICS OF ATOMIC NUCLEI, cilt.73, sa.10, ss.1754-1760, 2010 (SCI-Expanded)
- XXVII. **Light vector meson octet-decuplet baryon vertices in QCD**  
ALIYEV T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.  
PHYSICAL REVIEW D, cilt.81, sa.5, 2010 (SCI-Expanded)
- XXVIII. **Pseudoscalar-meson decuplet-baryon coupling constants in light cone QCD**  
ALIYEV T., AZİZİ K., ÖZPİNECİ A., SAVCI M.  
PHYSICAL REVIEW D, cilt.80, sa.9, 2009 (SCI-Expanded)
- XXIX. **Magnetic and quadrupole moments of light spin-1 mesons in light cone QCD sum rules**  
ALIYEV T., ÖZPİNECİ A., SAVCI M.  
PHYSICS LETTERS B, cilt.678, sa.5, ss.470-476, 2009 (SCI-Expanded)
- XXX. **Tree level semileptonic Sigma b to nucleon decay in light cone QCD sum rules**  
Azizi K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y.  
PHYSICAL REVIEW D, cilt.80, sa.3, 2009 (SCI-Expanded)
- XXXI. **Vector meson-baryon strong coupling constants in light cone QCD sum rules**  
Aliev T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.  
PHYSICAL REVIEW D, cilt.80, sa.1, 2009 (SCI-Expanded)
- XXXII. **Sigma(Q)Lambda(Q)pi coupling constant in light cone QCD sum rules**  
Azizi K., Bayar M., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.79, sa.5, 2009 (SCI-Expanded)
- XXXIII. **Radiative decays of the heavy flavored baryons in light cone QCD sum rules**  
ALIYEV T., Azizi K., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.79, sa.5, 2009 (SCI-Expanded)
- XXXIV. **Mass and magnetic moments of the heavy flavored baryons with J=3/2 in light cone QCD sum rules**  
ALIYEV T., Azizi K., ÖZPİNECİ A.  
NUCLEAR PHYSICS B, cilt.808, ss.137-154, 2009 (SCI-Expanded)
- XXXV. **Nucleon electromagnetic form factors in QCD**  
Aliev T., Azizi K., ÖZPİNECİ A., SAVCI M.  
PHYSICAL REVIEW D, cilt.77, sa.11, 2008 (SCI-Expanded)
- XXXVI. **Magnetic moments of heavy Xi Q baryons in light cone QCD sum rules**  
Aliev T., Azizi K., ÖZPİNECİ A.  
PHYSICAL REVIEW D, cilt.77, sa.11, 2008 (SCI-Expanded)
- XXXVII. **Light cone QCD sum rules analysis of the axial N ->Delta transition form factors**  
Aliev T., Azizi K., ÖZPİNECİ A.  
NUCLEAR PHYSICS A, cilt.799, ss.105-126, 2008 (SCI-Expanded)
- XXXVIII. **Semileptonic B-s -> D-sJ(2460)l nu decay in QCD**  
Aliev T., Azizi K., Ozpineci A.

- EUROPEAN PHYSICAL JOURNAL C, cilt.51, sa.3, ss.593-599, 2007 (SCI-Expanded)
- XXXIX. **QCD sum rules for the coupling constants  $g(KYN)$  and  $g(KY \Xi)$**   
 Aliev T., Zamiralov V. S., Lepshokov S. N., Ozpineci A., Yakovlev S. B.  
 PHYSICS OF ATOMIC NUCLEI, cilt.70, sa.5, ss.925-937, 2007 (SCI-Expanded)
- XL. **Meson-octet-baryon couplings using light cone QCD sum rules**  
 Aliev T., Ozpineci A., Yakovlev S. B., Zamiralov V.  
 PHYSICAL REVIEW D, cilt.74, sa.11, 2006 (SCI-Expanded)
- XLI. **Sum rules in QCD for  $g \eta \Lambda \Lambda$  and  $g \pi \Lambda \Sigma$**   
 Zamiralov V., ÖZPİNECİ A., Yakovlev S.  
 Physics of Atomic Nuclei, cilt.69, sa.3, ss.510-519, 2006 (SCI-Expanded)
- XLII. **Radiative decays of decuplet to octet baryons in light cone QCD**  
 Aliev T., Ozpineci A.  
 NUCLEAR PHYSICS B, cilt.732, ss.291-320, 2006 (SCI-Expanded)
- XLIII. **Radiative transitions of  $D-sJ(*) (2317)$  and  $D-sJ(2460)$  - art. no. 072004**  
 Colangelo P., De Fazio F., ÖZPİNECİ A.  
 PHYSICAL REVIEW D, cilt.72, sa.7, 2005 (SCI-Expanded)
- XLIV. **QCD sum rules: Intercrossed relations for the  $\Sigma 0$ - $\Lambda$  mass splitting**  
 ÖZPİNECİ A., Yakovlev S., Zamiralov V.  
 Modern Physics Letters A, cilt.20, sa.4, ss.243-249, 2005 (SCI-Expanded)
- XLV. **New relations between borel sum rules for the magnetic moments of the  $\Sigma 0$  and  $\Lambda$  hyperons**  
 Zamiralov V., ÖZPİNECİ A., Yakovlev S.  
 Physics of Atomic Nuclei, cilt.68, sa.2, ss.279-285, 2005 (SCI-Expanded)
- XLVI. **Form factors of  $D-s(+)$   $\rightarrow \bar{\nu} \ell$  decay in QCD light cone sum rule**  
 Aliev T., Ozpineci A., Savci M.  
 EUROPEAN PHYSICAL JOURNAL C, cilt.38, sa.1, ss.85-91, 2004 (SCI-Expanded)
- XLVII. **Fourth generation effects in processes induced by the  $b \rightarrow s$  transition**  
 Aliev T., Ozpineci A., Savci M.  
 EUROPEAN PHYSICAL JOURNAL C, cilt.29, sa.2, ss.265-270, 2003 (SCI-Expanded)
- XLVIII. **Semileptonic  $B \rightarrow \eta \ell \nu$  decay in light cone QCD**  
 Aliev T., Kanik I., Ozpineci A.  
 PHYSICAL REVIEW D, cilt.67, sa.9, 2003 (SCI-Expanded)
- XLIX. **Fourth generation effects in rare  $B-s \rightarrow \ell(+) \ell(-)$  and  $B-s \rightarrow \ell(+) \ell(-) \gamma$  decays**  
 Aliev T., Ozpineci A., Savci M.  
 EUROPEAN PHYSICAL JOURNAL C, cilt.27, sa.3, ss.405-410, 2003 (SCI-Expanded)
- L. **Model independent analysis of  $\Lambda$  baryon polarizations in  $\Lambda(b) \rightarrow \Lambda \ell(+) \ell(-)$  decay**  
 Aliev T., Ozpineci A., Savci M.  
 PHYSICAL REVIEW D, cilt.67, sa.3, 2003 (SCI-Expanded)
- LI. **Exclusive  $\Lambda(b) \rightarrow \Lambda \ell(+) \ell(-)$  decay beyond standard model**  
 Aliev T., Ozpineci A., Savci M.  
 NUCLEAR PHYSICS B, cilt.649, ss.168-188, 2003 (SCI-Expanded)
- LII. **T-odd correlations in  $B \rightarrow K(*) \ell(+) \ell(-)$  decay beyond the standard model**  
 Aliev T., Ozpineci A., Savci M., Yuce C.  
 PHYSICAL REVIEW D, cilt.66, sa.11, 2002 (SCI-Expanded)
- LIII. **T violation in  $\Lambda b \rightarrow \Lambda \ell(+) \ell(-)$  decay beyond standard model**  
 Aliev T., Ozpineci A., Savci M., Yuce C.  
 PHYSICS LETTERS B, cilt.542, ss.229-238, 2002 (SCI-Expanded)
- LIV. **Octet baryon magnetic moments in light cone QCD sum rules**  
 Aliev T., Ozpineci A., Savci M.  
 PHYSICAL REVIEW D, cilt.66, sa.1, 2002 (SCI-Expanded)
- LV. **Q-ball formation in the wake of Hubble-induced radiative corrections**  
 Allahverdi R., Mazumdar A., ÖZPİNECİ A.

Physical Review D - Particles, Fields, Gravitation and Cosmology, cilt.65, sa.12, ss.1250031-1250037, 2002 (SCI-Expanded)

- LVI. **New physics effects in  $\Lambda(b) \rightarrow \Lambda l^{(+)}l^{(-)}$  decay with lepton polarizations**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.65, sa.11, 2002 (SCI-Expanded)
- LVII. **Magnetic moments of  $\Lambda(b)$  and  $\Lambda(c)$  baryons in light cone QCD sum rules**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.65, sa.5, 2002 (SCI-Expanded)
- LVIII. **Radiative  $\phi \rightarrow f(0)(980)\gamma$  decay in light cone QCD sum rules**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.527, ss.193-198, 2002 (SCI-Expanded)
- LIX. **General analysis of time evolution of decay spectrum in  $B^0 \rightarrow \pi^{(+)}\pi^{(-)}l^{(+)}l^{(-)}$**   
Aliev T., Ozpineci A., Savci M.  
NUCLEAR PHYSICS B, cilt.621, ss.479-494, 2002 (SCI-Expanded)
- LX.  **$g(\rho \sigma \gamma)$  coupling constant in light cone QCD**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.65, sa.7, ss.4, 2002 (SCI-Expanded)
- LXI.  **$\Sigma(Q)\Lambda(Q)$  transition magnetic moments in light cone QCD sum rules**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.65, sa.9, ss.9, 2002 (SCI-Expanded)
- LXII. **Rare  $B \rightarrow l^{(+)}l^{(-)}\gamma$  decay and new physics effects**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.520, ss.69-77, 2001 (SCI-Expanded)
- LXIII. **The  $\Sigma(0)\Lambda$  transition magnetic moment in light cone QCD sum rules**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.516, ss.299-306, 2001 (SCI-Expanded)
- LXIV. **Exclusive  $B \rightarrow K^*l^{(+)}l^{(-)}$  decay with polarized  $K^*$  and new physics effects**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.511, sa.1, ss.49-58, 2001 (SCI-Expanded)
- LXV. **Rare  $B \rightarrow K^*\nu(\nu)\overline{\nu}$  decay beyond standard model**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.506, ss.77-84, 2001 (SCI-Expanded)
- LXVI. **Meson-baryon couplings and the F/D ratio in light cone QCD**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.64, sa.3, ss.10, 2001 (SCI-Expanded)
- LXVII. **New physics effects to the lepton polarizations in the  $B \rightarrow Kl^{(+)}l^{(-)}$  decay**  
Aliev T., Cakmak M., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.64, sa.5, ss.10, 2001 (SCI-Expanded)
- LXVIII. **Magnetic moments of Delta baryons in light cone QCD sum rules**  
Aliev T., Ozpineci A., Savci M.  
NUCLEAR PHYSICS A, cilt.678, sa.4, ss.443-454, 2000 (SCI-Expanded)
- LXIX. **Fourth generation effects in rare exclusive  $B \rightarrow K^*l^{(+)}l^{(-)}$  decay**  
Aliev T., Ozpineci A., Savci M.  
NUCLEAR PHYSICS B, cilt.585, ss.275-289, 2000 (SCI-Expanded)
- LXX. **Magnetic moments of decuplet baryons in light cone QCD**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.62, sa.5, ss.1-8, 2000 (SCI-Expanded)
- LXXI. **Excited heavy mesons decay form factors in light cone QCD**  
Aliev T., Savci M., Ozpineci A.  
PHYSICS LETTERS B, cilt.422, ss.257-264, 1998 (SCI-Expanded)
- LXXII. **Two Higgs doublet model and lepton polarization in the  $B \rightarrow K \tau^{(+)}\tau^{(-)}$  decay**

- Aliev T., Savci M., Ozpineci A., Koru H.  
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.24, sa.1, ss.49-65, 1998 (SCI-Expanded)
- LXXIII. **Rare  $B \rightarrow K^* l^{(+)} l^{(-)}$  decay, two Higgs doublet model, and light cone QCD sum rules**  
Aliev T., Savci M., Ozpineci A., Koru H.  
PHYSICS LETTERS B, cilt.410, ss.216-228, 1997 (SCI-Expanded)
- LXXIV. **Rare  $B \rightarrow K^* l^{(+)} l^{(-)}$  decay in light cone QCD**  
Aliev T., Savci M., Ozpineci A.  
PHYSICAL REVIEW D, cilt.56, sa.7, ss.4260-4267, 1997 (SCI-Expanded)
- LXXV.  **$B \rightarrow q l^{(+)} l^{(-)}$  gamma decays in light cone QCD**  
Aliev T., Ozpineci A., Savci M.  
PHYSICAL REVIEW D, cilt.55, sa.11, ss.7059-7066, 1997 (SCI-Expanded)
- LXXVI. **Light cone QCD sum rule analysis of  $B \rightarrow K l^{(+)} l^{(-)}$  decay**  
Aliev T., Koru H., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.400, ss.194-205, 1997 (SCI-Expanded)
- LXXVII. **Rare  $B \rightarrow \nu(\bar{\nu}) \gamma$  decay in light cone QCD sum rule**  
Aliev T., Ozpineci A., Savci M.  
PHYSICS LETTERS B, cilt.393, ss.143-148, 1997 (SCI-Expanded)

## **Diğer Dergilerde Yayınlanan Makaleler**

- I. **Quantum effects of thermal conductance through atomic chains**  
Ozpineci A., Ciraci S.  
Physical Review B - Condensed Matter and Materials Physics, cilt.63, sa.12, ss.1254151-1254155, 2001 (Scopus)
- II. **Reduced density matrix approach to phononic dissipation in friction**  
Özpineci A., Leitner D., Ciraci S.  
Physical Review B - Condensed Matter and Materials Physics, cilt.62, sa.15, ss.10558-10564, 2000 (Scopus)

## **Hakemli Kongre / Sempozyum Bildiri Kitaplarında Yer Alan Yayınlar**

- I. **Işık Konisi KRD Toplam Kurallarında N-D'nin Aksiyal Vektör Yapı Faktörleri**  
özdem u., KÜÇÜKARSLAN A., ÖZPİNECİ A.  
İstanbul Yüksek Enerji Fiziği Çalıştayı (YEFIST 2017), Türkiye, 6 - 07 Mayıs 2017
- II. **X(3872) and its charmonium content in Heavy Quark limit**  
Cincioglu E., Nieves J., ÖZPİNECİ A.  
International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Martina Franca, İtalya, 27 - 30 Haziran 2016, cilt.129
- III. **X 3872 and Other Exotic Mesons**  
ÖZPİNECİ A.  
First Joint METU-IPM Conference on LHC Physics, İzmir, Türkiye, 29 Eylül - 03 Ekim 2015
- IV. **Hidden charm and bottom molecular states**  
Guo F. -, Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.  
5th International Conference on Exotic Atoms and Related Topics (EXA), Vienna, Avusturya, 15 - 19 Eylül 2014, cilt.234, ss.125-132
- V. **Long-distance structure of the X(3872)**  
Guo F., Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.  
11th International Conference on Hyperons, Charm and Beauty Hadrons (BEACH), Birmingham, Birleşik Krallık, 21 - 26 Temmuz 2014, cilt.556
- VI. **Electromagnetic structure of charmed hadrons**  
ERKOL G., Can K. U., İŞILDAK B., Oka M., ÖZPİNECİ A., Takahashi T. T.

11th International Conference on Hyperons, Charm and Beauty Hadrons (BEACH), Birmingham, Birleşik Krallık, 21 - 26 Temmuz 2014, cilt.556

VII. **Detecting the long-distance structure of the X(3872)**

Guo F., Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.

37th International Conference on High Energy Physics (ICHEP), Valencia, İspanya, 2 - 09 Temmuz 2014, cilt.273, ss.2708-2710

VIII. **New Unitary Relations between the QCD sum rules**

ÖZPİNECİ A., Zamiralov V.

International Workshop on Quantum Chromodynamics - Theory and Experiment, Bari, İtalya, 16 - 19 Haziran 2014, cilt.80

IX. **X(3872) in Heavy Quark Limit of QCD: Its Partners and Isospin Structure**

ÖZPİNECİ A.

International Workshop on Quantum Chromodynamics - Theory and Experiment, Bari, İtalya, 16 - 19 Haziran 2014, cilt.80

X. **QCD coupling constants and VDM**

ERKOL G., ÖZPİNECİ A., Zamiralov V. S.

International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Lecce, İtalya, 18 - 21 Haziran 2012, cilt.1492, ss.165-170

XI. **Iso-vector Form Factors of the Delta and Nucleon in QCD Sum Rules**

Ozpineci A.

International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Lecce, İtalya, 18 - 21 Haziran 2012, cilt.1492, ss.153-160

XII. **Theoretical determination of K-1(1270,1400) mixing angle in QCD**

Dag H., ÖZPİNECİ A., Cagil A., ERKOL G.

3rd International Conference on Hadron Physics (TROIA), Çanakkale, Türkiye, 22 - 25 Ağustos 2011, cilt.348

XIII. **Unitary symmetry pattern of the QCD sum rules**

ALIYEV T., ÖZPİNECİ A., Zamiralov V.

3rd International Conference on Hadron Physics (TROIA), Çanakkale, Türkiye, 22 - 25 Ağustos 2011, cilt.348

XIV. **Mixing  $\Xi - \Xi'$  effects and static properties of heavy  $\Xi$ 's**

ALIYEV T., ÖZPİNECİ A., Zamiralov V.

International Workshop on Quantum Chromodynamics: Theory and Experiment Beppe Nardulli Memorial Workshop, QCD at WORK 2010, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.128-134

XV. **A QCD Sum Rules Approach to Mixing of Hadrons**

Aliev T., ÖZPİNECİ A., Zamiralov V. S.

International Workshop on Chiral Symmetry in Hadrons and Nuclei, Valencia, İspanya, 21 - 24 Haziran 2010, cilt.1322, ss.197-198

XVI. **New hidden beauty molecules predicted by the local hidden gauge approach and heavy quark spin symmetry**

Xiao C. W., ÖZPİNECİ A., Oset E.

International Workshop on Chiral Symmetry in Hadrons and Nuclei, Valencia, İspanya, 21 - 24 Haziran 2010, ss.206-209

XVII. **Mixing  $\Xi - \Xi'$  Effects and Static Properties of Heavy  $\Xi$ 's**

Aliev T., ÖZPİNECİ A., Zamiralov V. S.

International Workshop on Quantum Chromodynamics: Theory and Experiment, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.128-129

XVIII. **Baryon-Baryon-Meson Coupling Constants in QCD**

Aliev T., AZİZİ K., ÖZPİNECİ A., SAVCI M., Zamiralov V.

International Workshop on Quantum Chromodynamics: Theory and Experiment, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.108-109

XIX. **Phenomenology of the Heavy Flavored Spin 3/2 Baryons in Light Cone QCD**

ALIYEV T., Azizi K., ÖZPİNECİ A.



NATO Advanced Research Workshop on Safe Nuclear Energy, Yala, Tayland, 27 Eylül - 02 Ekim 2008, ss.19-30

**XX. Strong coupling constants of the octet baryons to  $K$  and  $\pi$  mesons in light cone QCD sum rules**

Aliiev T., ÖZPİNECİ A., Yakovlev S., Zamiralov V. S.

International Workshop on Quantum Chromodynamics Theory and Experiment, Martina Franca, İtalya, 11 - 20

Haziran 2007, cilt.964, ss.53-55

**XXI. Unitary structure of the QCD sum rules and  $KYN$  and  $KY \Xi$  couplings**

Aliiev T., Ozpineci A., Yakovlev S., Zamiralov V.

3rd International Workshop on Quantum Chromodynamics (QCD), Bari, İtalya, 16 - 20 Haziran 2005, cilt.806,

ss.40-42

## **Metrikler**

Yayın: 101

Atıf (WoS): 1452

Atıf (Scopus): 1547

H-İndeks (WoS): 25

H-İndeks (Scopus): 23

## **Kongre ve Sempozyum Katılımı Faaliyetleri**

QED and QCD Effects in Atomic and Hadron Physics, Davetli Konuşmacı, Lanzhou, Çin, 2018

## **Akademi Dışı Deneyim**

Instituto de Física Corpuscular, Valencia, İspanya

Instituto Nazionale di Fisica Nucleare, Bari, İtalya

Abdus Salam International Center for Theoretical Physics, Trieste, İtalya