

Prof.Dr. ALTUĞ ÖZPİNECİ

Kişisel Bilgiler

İş Telefonu: [+90 312 210 5051](tel:+903122105051)

Fax Telefonu: [+90 312 210 3299](tel:+903122103299)

E-posta: ozpineci@metu.edu.tr

Web: <http://www.metu.edu.tr/~ozpineci>

Eğitim Bilgileri

Doktora, Orta Doğu Teknik Üniversitesi, Fen Bilimleri Enstitüsü, Fizik (Dr), Türkiye 1999 - 2001

Yüksek Lisans, İhsan Doğramacı Bilkent Üniversitesi, Mühendislik Ve Fen Bilimleri Enstitüsü, Fizik (YI) (Tezli), Türkiye 1998 - 1999

Lisans Çift Anadal, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Matematik Bölümü, Türkiye 1994 - 1997

Lisans, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, Türkiye 1994 - 1997

Yabancı Diller

İngilizce, C1 İleri

İtalyanca, B2 Orta Üstü

İspanyolca, A2 Temel

Araştırma Alanları

Fizik, Temel Parçacıklar ve Alanlar , Özel reaksiyonlar ve fenomenoloji, Temel Bilimler

Akademik Unvanlar / Görevler

Prof.Dr., Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2010 - Devam Ediyor

Doç.Dr., Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2008 - 2010

Yrd.Doç.Dr., Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2005 - 2008

Araştırma Görevlisi, Infn, Bari, İtalya, 2004 - 2005

Araştırma Görevlisi, Ictp, Yüksek Enerji Fiziği, 2001 - 2004

Araştırma Görevlisi, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 1999 - 2001

Araştırma Görevlisi, İhsan Doğramacı Bilkent Üniversitesi, Fen Fakültesi, Fizik Bölümü, 1998 - 1999

Mesleki Deneyim

Bölüm Başkanı, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2017 - Devam Ediyor

Bölüm Başkan Yardımcısı, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2016 - 2017

Bölüm Başkan Yardımcısı, Orta Doğu Teknik Üniversitesi, Fen-Edebiyat Fakültesi, Fizik Bölümü, 2011 - 2015

Yönetilen Tezler

- Gümüş H., Özpıncı A., X(3872) Mezonunun Pertürbatif Olmayan Yöntemlerle İncelenmesi, Doktora, H.MUTUK(Öğrenci), 2018
- ÖZPİNECİ A., Mezon moleküllerine kuarkonyum katkısı, Doktora, E.CİNCİOĞLU(Öğrenci), 2016
- ÖZPİNECİ A., Leading twist light cone distribution amplitudes of p-wave heavy quarkonia and their couplings to pseudoscalar and vector mesons, Doktora, M.ALİ(Öğrenci), 2016
- ÖZPİNECİ A., Heavy mesons in heavy quark effective theory, Yüksek Lisans, A.ELPE(Öğrenci), 2016
- ÖZPİNECİ A., Meson spectrum in non-relativistic quark models, Yüksek Lisans, F.DİDEM(Öğrenci), 2014
- ÖZPİNECİ A., Study of heavy quarkonia spectroscopy in the quark model, Yüksek Lisans, T.TAKAN(Öğrenci), 2012
- ÖZPİNECİ A., $D^* D$ Pi coupling constant in 2+1 flavor lattice QCD, Yüksek Lisans, K.UTKU(Öğrenci), 2012
- ÖZPİNECİ A., Rapidly rotating ultracold atoms in harmonic traps, Doktora, N.GHAZANFARİ(Öğrenci), 2011
- ÖZPİNECİ A., Properties of light and heavy baryons in light cone QCD sum rules formalism, Doktora, K.AZİZİ(Öğrenci), 2009
- ÖZPİNECİ A., Eta-Eta prime mixing in chiral perturbation theory, Yüksek Lisans, A.KOKULU(Öğrenci), 2008
- ÖZPİNECİ A., Study of DSJ(2317) and DSJ(2460) meson properties within the quark model and QCD sum rules, Yüksek Lisans, A.TANDOĞAN(Öğrenci), 2007
- ÖZPİNECİ A., Strong decays of the DSJ (2317) mesons using QCD sum rules, Yüksek Lisans, U.AYDEMİR(Öğrenci), 2007

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- **B \rightarrow T transition form factors in light-cone sum rules**
Aliiev T., Dag H., Kokulu A., ÖZPİNECİ A.
PHYSICAL REVIEW D, cilt.100, 2019 (SCI İndekslerine Giren Dergi)
- **Radiative decay of the X(3872) as a mixed molecule-charmonium state in effective field theory**
Cincioglu E., ÖZPİNECİ A.
PHYSICS LETTERS B, cilt.797, 2019 (SCI İndekslerine Giren Dergi)
- **X(3872) and its heavy quark spin symmetry partners in QCD sum rules**
Mutuk H., Sarac Y., Gumus H., ÖZPİNECİ A.
EUROPEAN PHYSICAL JOURNAL C, cilt.78, 2018 (SCI İndekslerine Giren Dergi)
- **Light cone distribution amplitudes of excited p-wave heavy quarkonia at leading twist**
Olpak M. A. , ÖZPİNECİ A., Tanriverdi V.
PHYSICAL REVIEW D, cilt.96, 2017 (SCI İndekslerine Giren Dergi)
- **Axial vector transition form factors of N \rightarrow Delta in QCD**
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.
NUCLEAR PHYSICS B, cilt.913, ss.132-150, 2016 (SCI İndekslerine Giren Dergi)
- **Tensor form factors of the octet hyperons in QCD**
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.
PHYSICAL REVIEW D, cilt.94, 2016 (SCI İndekslerine Giren Dergi)
- **Quarkonium Contribution to Meson Molecules**
Cincioglu E., Nieves J., ÖZPİNECİ A., YILMAZER A. U.
EUROPEAN PHYSICAL JOURNAL C, cilt.76, 2016 (SCI İndekslerine Giren Dergi)
- **Isvector axial vector form factors of octet-decuplet hyperon transition in QCD**
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.42, 2015 (SCI İndekslerine Giren Dergi)
- **Isvector axial vector and pseudoscalar transition form factors of Delta in QCD**
KÜÇÜKARSLAN A., Ozdem U., ÖZPİNECİ A.
PHYSICAL REVIEW D, cilt.90, 2014 (SCI İndekslerine Giren Dergi)
- **Vector and axial-vector couplings of D and D* mesons in 2+1 flavor lattice QCD**
Can K. U. , ERKOL G., Oka M., ÖZPİNECİ A., Takahashi T. T.
PHYSICS LETTERS B, cilt.719, ss.103-109, 2013 (SCI İndekslerine Giren Dergi)
- **Semileptonic transition of Sigma(b) to Sigma in light cone QCD sum rules**

AZİZİ K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y., SUNDU PAMUK H.

PHYSICAL REVIEW D, cilt.85, 2012 (SCI İndekslerine Giren Dergi)

● **Tensor form factors of nucleon in QCD**

ERKOL G., ÖZPİNECİ A.

● PHYSICS LETTERS B, cilt.704, ss.551-558, 2011 (SCI İndekslerine Giren Dergi)

● **Isovector axial-vector form factors of octet baryons in QCD**

ERKOL G., ÖZPİNECİ A.

● PHYSICAL REVIEW D, cilt.83, 2011 (SCI İndekslerine Giren Dergi)

● **Mixing angle of hadrons in QCD: A new view**

ALIYEV T., ÖZPİNECİ A., Zamiralov V.

● PHYSICAL REVIEW D, cilt.83, 2011 (SCI İndekslerine Giren Dergi)

● **The semileptonic B to K-1(1270,1400) decays in QCD sum rules**

Dag H., ÖZPİNECİ A., ZEYREK M. T.

● JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.38, 2011 (SCI İndekslerine Giren Dergi)

● **g(Sigma Q Sigma Q pi) coupling constant via light cone QCD sum rules**

AZİZİ K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y.

● PHYSICAL REVIEW D, cilt.82, 2010 (SCI İndekslerine Giren Dergi)

● **Mass Formulas for Xi(c) and Xi(b) Baryons**

Aliev T., Zamiralov V. S., ÖZPİNECİ A.

● PHYSICS OF ATOMIC NUCLEI, cilt.73, ss.1754-1760, 2010 (SCI İndekslerine Giren Dergi)

● **Light vector meson octet-decuplet baryon vertices in QCD**

ALIYEV T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.

● PHYSICAL REVIEW D, cilt.81, 2010 (SCI İndekslerine Giren Dergi)

● **Pseudoscalar-meson decuplet-baryon coupling constants in light cone QCD**

ALIYEV T., AZİZİ K., ÖZPİNECİ A., SAVCI M.

● PHYSICAL REVIEW D, cilt.80, 2009 (SCI İndekslerine Giren Dergi)

● **Magnetic and quadrupole moments of light spin-1 mesons in light cone QCD sum rules**

ALIYEV T., ÖZPİNECİ A., SAVCI M.

● PHYSICS LETTERS B, cilt.678, ss.470-476, 2009 (SCI İndekslerine Giren Dergi)

● **Tree level semileptonic Sigma b to nucleon decay in light cone QCD sum rules**

Azizi K., BAYAR M., ÖZPİNECİ A., SARAÇ OYMAK Y.

● PHYSICAL REVIEW D, cilt.80, 2009 (SCI İndekslerine Giren Dergi)

● **Vector meson-baryon strong coupling constants in light cone QCD sum rules**

Aliev T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.

● PHYSICAL REVIEW D, cilt.80, 2009 (SCI İndekslerine Giren Dergi)

● **Radiative decays of the heavy flavored baryons in light cone QCD sum rules**

ALIYEV T., Azizi K., ÖZPİNECİ A.

● PHYSICAL REVIEW D, cilt.79, 2009 (SCI İndekslerine Giren Dergi)

● **Sigma(Q)Lambda(Q)pi coupling constant in light cone QCD sum rules**

Azizi K., Bayar M., ÖZPİNECİ A.

● PHYSICAL REVIEW D, cilt.79, 2009 (SCI İndekslerine Giren Dergi)

● **Mass and magnetic moments of the heavy flavored baryons with J=3/2 in light cone QCD sum rules**

ALIYEV T., Azizi K., ÖZPİNECİ A.

● NUCLEAR PHYSICS B, cilt.808, ss.137-154, 2009 (SCI İndekslerine Giren Dergi)

● **Magnetic moments of heavy Xi Q baryons in light cone QCD sum rules**

Aliev T., Azizi K., ÖZPİNECİ A.

● PHYSICAL REVIEW D, cilt.77, 2008 (SCI İndekslerine Giren Dergi)

● **Nucleon electromagnetic form factors in QCD**

Aliev T., Azizi K., ÖZPİNECİ A., SAVCI M.

● PHYSICAL REVIEW D, cilt.77, 2008 (SCI İndekslerine Giren Dergi)

● **Light cone QCD sum rules analysis of the axial N ->Delta transition form factors**

Aliev T., Azizi K., ÖZPİNECİ A.

NUCLEAR PHYSICS A, cilt.799, ss.105-126, 2008 (SCI İndekslerine Giren Dergi)

● **Semileptonic $B-s \rightarrow D-sJ(2460)l$ nu decay in QCD**

Aliev T., Azizi K., Ozpineci A.

● EUROPEAN PHYSICAL JOURNAL C, cilt.51, ss.593-599, 2007 (SCI İndekslerine Giren Dergi)

● **QCD sum rules for the coupling constants $g(KYN)$ and $g(KY \Xi)$**

Aliev T., Zamiralov V. S., Lepshokov S. N., Ozpineci A., Yakovlev S. B.

● PHYSICS OF ATOMIC NUCLEI, cilt.70, ss.925-937, 2007 (SCI İndekslerine Giren Dergi)

● **Meson-octet-baryon couplings using light cone QCD sum rules**

Aliev T., Ozpineci A., Yakovlev S. B., Zamiralov V.

● PHYSICAL REVIEW D, cilt.74, 2006 (SCI İndekslerine Giren Dergi)

● **Radiative decays of decuplet to octet baryons in light cone QCD**

Aliev T., Ozpineci A.

● NUCLEAR PHYSICS B, cilt.732, ss.291-320, 2006 (SCI İndekslerine Giren Dergi)

● **Form factors of $D-s(+)$ $\rightarrow \phi(l)\overline{\nu}$ decay in QCD light cone sum rule**

Aliev T., Ozpineci A., Savci M.

● EUROPEAN PHYSICAL JOURNAL C, cilt.38, ss.85-91, 2004 (SCI İndekslerine Giren Dergi)

● **Fourth generation effects in processes induced by the $b \rightarrow s$ transition**

Aliev T., Ozpineci A., Savci M.

● EUROPEAN PHYSICAL JOURNAL C, cilt.29, ss.265-270, 2003 (SCI İndekslerine Giren Dergi)

● **Semileptonic $B \rightarrow \eta$ l nu decay in light cone QCD**

Aliev T., Kanik I., Ozpineci A.

● PHYSICAL REVIEW D, cilt.67, 2003 (SCI İndekslerine Giren Dergi)

● **Model independent analysis of Λ baryon polarizations in $\Lambda(b) \rightarrow \Lambda l(+)\overline{l}(-)$ decay**

Aliev T., Ozpineci A., Savci M.

● PHYSICAL REVIEW D, cilt.67, 2003 (SCI İndekslerine Giren Dergi)

● **Exclusive $\Lambda(b) \rightarrow \Lambda l(+)\overline{l}(-)$ decay beyond standard model**

Aliev T., Ozpineci A., Savci M.

● NUCLEAR PHYSICS B, cilt.649, ss.168-188, 2003 (SCI İndekslerine Giren Dergi)

● **T-odd correlations in $B \rightarrow K^* l(+)\overline{l}(-)$ decay beyond the standard model**

Aliev T., Ozpineci A., Savci M., Yuce C.

● PHYSICAL REVIEW D, cilt.66, 2002 (SCI İndekslerine Giren Dergi)

● **T violation in $\Lambda b \rightarrow \Lambda l(+)\overline{l}(-)$ decay beyond standard model**

Aliev T., Ozpineci A., Savci M., Yuce C.

● PHYSICS LETTERS B, cilt.542, ss.229-238, 2002 (SCI İndekslerine Giren Dergi)

● **Octet baryon magnetic moments in light cone QCD sum rules**

Aliev T., Ozpineci A., Savci M.

● PHYSICAL REVIEW D, cilt.66, 2002 (SCI İndekslerine Giren Dergi)

● **New physics effects in $\Lambda(b) \rightarrow \Lambda l(+)\overline{l}(-)$ decay with lepton polarizations**

Aliev T., Ozpineci A., Savci M.

● PHYSICAL REVIEW D, cilt.65, 2002 (SCI İndekslerine Giren Dergi)

● **$\Sigma(Q)\Lambda(Q)$ transition magnetic moments in light cone QCD sum rules**

Aliev T., Ozpineci A., Savci M.

● PHYSICAL REVIEW D, cilt.65, 2002 (SCI İndekslerine Giren Dergi)

● **Magnetic moments of $\Lambda(b)$ and $\Lambda(c)$ baryons in light cone QCD sum rules**

Aliev T., Ozpineci A., Savci M.

● PHYSICAL REVIEW D, cilt.65, 2002 (SCI İndekslerine Giren Dergi)

● **Radiative $\phi \rightarrow f(0)(980)\gamma$ decay in light cone QCD sum rules**

Aliev T., Ozpineci A., Savci M.

● PHYSICS LETTERS B, cilt.527, ss.193-198, 2002 (SCI İndekslerine Giren Dergi)

● **General analysis of time evolution of decay spectrum in $B-0 \rightarrow \pi(+)\pi(-)l(+)\overline{l}(-)$**

Aliev T., Ozpineci A., Savci M.

NUCLEAR PHYSICS B, cilt.621, ss.479-494, 2002 (SCI İndekslerine Giren Dergi)

Rare $B \rightarrow l^{(+)}l^{(-)}\gamma$ decay and new physics effects

Aliev T., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.520, ss.69-77, 2001 (SCI İndekslerine Giren Dergi)

The $\Sigma(0)\Lambda$ transition magnetic moment in light cone QCD sum rules

Aliev T., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.516, ss.299-306, 2001 (SCI İndekslerine Giren Dergi)

New physics effects to the lepton polarizations in the $B \rightarrow Kl^{(+)}l^{(-)}$ decay

Aliev T., Cakmak M., Ozpineci A., Savci M.

PHYSICAL REVIEW D, cilt.64, 2001 (SCI İndekslerine Giren Dergi)

Meson-baryon couplings and the F/D ratio in light cone QCD

Aliev T., Ozpineci A., Savci M.

PHYSICAL REVIEW D, cilt.64, 2001 (SCI İndekslerine Giren Dergi)

Exclusive $B \rightarrow K^*l^{(+)}l^{(-)}$ decay with polarized K^* and new physics effects

Aliev T., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.511, ss.49-58, 2001 (SCI İndekslerine Giren Dergi)

Rare $B \rightarrow K^*\nu(\bar{\nu})$ decay beyond standard model

Aliev T., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.506, ss.77-84, 2001 (SCI İndekslerine Giren Dergi)

Magnetic moments of Delta baryons in light cone QCD sum rules

Aliev T., Ozpineci A., Savci M.

NUCLEAR PHYSICS A, cilt.678, ss.443-454, 2000 (SCI İndekslerine Giren Dergi)

Fourth generation effects in rare exclusive $B \rightarrow K^*l^{(+)}l^{(-)}$ decay

Aliev T., Ozpineci A., Savci M.

NUCLEAR PHYSICS B, cilt.585, ss.275-289, 2000 (SCI İndekslerine Giren Dergi)

Magnetic moments of decuplet baryons in light cone QCD

Aliev T., Ozpineci A., Savci M.

PHYSICAL REVIEW D, cilt.62, 2000 (SCI İndekslerine Giren Dergi)

Excited heavy mesons decay form factors in light cone QCD

Aliev T., Savci M., Ozpineci A.

PHYSICS LETTERS B, cilt.422, ss.257-264, 1998 (SCI İndekslerine Giren Dergi)

Two Higgs doublet model and lepton polarization in the $B \rightarrow K\tau^{(+)}\tau^{(-)}$ decay

Aliev T., Savci M., Ozpineci A., Koru H.

JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.24, ss.49-65, 1998 (SCI İndekslerine Giren Dergi)

Rare $B \rightarrow K^*l^{(+)}l^{(-)}$ decay, two Higgs doublet model, and light cone QCD sum rules

Aliev T., Savci M., Ozpineci A., Koru H.

PHYSICS LETTERS B, cilt.410, ss.216-228, 1997 (SCI İndekslerine Giren Dergi)

Rare $B \rightarrow K^*l^{(+)}l^{(-)}$ decay in light cone QCD

Aliev T., Savci M., Ozpineci A.

PHYSICAL REVIEW D, cilt.56, ss.4260-4267, 1997 (SCI İndekslerine Giren Dergi)

$B \rightarrow q^{(+)}l^{(-)}\gamma$ decays in light cone QCD

Aliev T., Ozpineci A., Savci M.

PHYSICAL REVIEW D, cilt.55, ss.7059-7066, 1997 (SCI İndekslerine Giren Dergi)

Light cone QCD sum rule analysis of $B \rightarrow Kl^{(+)}l^{(-)}$ decay

Aliev T., Koru H., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.400, ss.194-205, 1997 (SCI İndekslerine Giren Dergi)

Rare $B \rightarrow \nu(\bar{\nu})\gamma$ decay in light cone QCD sum rule

Aliev T., Ozpineci A., Savci M.

PHYSICS LETTERS B, cilt.393, ss.143-148, 1997 (SCI İndekslerine Giren Dergi)

Hakemli Kongre / Sempozyum Bildiri Kitaplarında Yer Alan Yayınlar

- **X(3872) and its charmonium content in Heavy Quark limit**
Cincioglu E., Nieves J., ÖZPİNECİ A.
International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Martina Franca, İtalya, 27 - 30 Haziran 2016, cilt.129
- **Hidden charm and bottom molecular states**
Guo F. -, Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.
5th International Conference on Exotic Atoms and Related Topics (EXA), Vienna, Avusturya, 15 - 19 Eylül 2014, cilt.234, ss.125-132
- **Long-distance structure of the X(3872)**
Guo F., Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.
11th International Conference on Hyperons, Charm and Beauty Hadrons (BEACH), Birmingham, İngiltere, 21 - 26 Temmuz 2014, cilt.556
- **Electromagnetic structure of charmed hadrons**
ERKOL G., Can K. U. , İŞILDAK B., Oka M., ÖZPİNECİ A., Takahashi T. T.
11th International Conference on Hyperons, Charm and Beauty Hadrons (BEACH), Birmingham, İngiltere, 21 - 26 Temmuz 2014, cilt.556
- **Detecting the long-distance structure of the X(3872)**
Guo F., Hidalgo-Duque C., Nieves J., ÖZPİNECİ A., Valderrama M. P.
37th International Conference on High Energy Physics (ICHEP), Valencia, İspanya, 2 - 09 Temmuz 2014, cilt.273, ss.2708-2710
- **New Unitary Relations between the QCD sum rules**
ÖZPİNECİ A., Zamiralov V.
International Workshop on Quantum Chromodynamics - Theory and Experiment, Bari, İtalya, 16 - 19 Haziran 2014, cilt.80
- **X(3872) in Heavy Quark Limit of QCD: Its Partners and Isospin Structure**
ÖZPİNECİ A.
International Workshop on Quantum Chromodynamics - Theory and Experiment, Bari, İtalya, 16 - 19 Haziran 2014, cilt.80
- **QCD coupling constants and VDM**
ERKOL G., ÖZPİNECİ A., Zamiralov V. S.
International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Lecce, İtalya, 18 - 21 Haziran 2012, cilt.1492, ss.165-170
- **Iso-vector Form Factors of the Delta and Nucleon in QCD Sum Rules**
Ozpineci A.
International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Lecce, İtalya, 18 - 21 Haziran 2012, cilt.1492, ss.153-160
- **Theoretical determination of K-1(1270,1400) mixing angle in QCD**
Dag H., ÖZPİNECİ A., Cagil A., ERKOL G.
3rd International Conference on Hadron Physics (TROIA), Çanakkale, Türkiye, 22 - 25 Ağustos 2011, cilt.348
- **Unitary symmetry pattern of the QCD sum rules**
ALİYEV T., ÖZPİNECİ A., Zamiralov V.
3rd International Conference on Hadron Physics (TROIA), Çanakkale, Türkiye, 22 - 25 Ağustos 2011, cilt.348
- **New hidden beauty molecules predicted by the local hidden gauge approach and heavy quark spin symmetry**
Xiao C. W. , ÖZPİNECİ A., Oset E.
International Workshop on Chiral Symmetry in Hadrons and Nuclei, Valencia, İspanya, 21 - 24 Haziran 2010, ss.206-209
- **A QCD Sum Rules Approach to Mixing of Hadrons**
Aliiev T., ÖZPİNECİ A., Zamiralov V. S.

International Workshop on Chiral Symmetry in Hadrons and Nuclei, Valencia, İspanya, 21 - 24 Haziran 2010, cilt.1322, ss.197-198

● **Mixing Ξ - Ξ' Effects and Static Properties of Heavy Ξ 's**

Aliev T., ÖZPİNECİ A., Zamiralov V. S.

International Workshop on Quantum Chromodynamics: Theory and Experiment, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.128-129

● **Baryon-Baryon-Meson Coupling Constants in QCD**

Aliev T., AZİZİ K., ÖZPİNECİ A., SAVCI M., Zamiralov V.

International Workshop on Quantum Chromodynamics: Theory and Experiment, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.108-109

● **Phenomenology of the Heavy Flavored Spin 3/2 Baryons in Light Cone QCD**

ALİYEV T., Azizi K., ÖZPİNECİ A.

NATO Advanced Research Workshop on Safe Nuclear Energy, Yala, Tayland, 27 Eylül - 02 Ekim 2008, ss.19-30

● **Strong coupling constants of the octet baryons to K and π mesons in light cone QCD sum rules**

Aliev T., ÖZPİNECİ A., Yakovlev S., Zamiralov V. S.

International Workshop on Quantum Chromodynamics Theory and Experiment, Martina Franca, İtalya, 11 - 20 Haziran 2007, cilt.964, ss.53-55

● **Unitary structure of the QCD sum rules and KYN and $KY \Xi$ couplings**

Aliev T., Ozpineci A., Yakovlev S., Zamiralov V.

3rd International Workshop on Quantum Chromodynamics (QCD), Bari, İtalya, 16 - 20 Haziran 2005, cilt.806, ss.40-42

Desteklenen Projeler

ÖZPİNECİ A., ÖZŞAHİN H., Yükseköğretim Kurumları Destekli Proje, BK ve DK Dört Kuark Sistemlerinin KR D Toplam Kuralları ile İncelenmesi, 2017 - 2017

Davetli Kongre ve Sempozyum Faaliyetleri

QED and QCD Effects in Atomic and Hadron Physics, Davetli Konuşmacı, Lanzhou, Çin, 2018

Atıflar

Toplam Atıf Sayısı (WOS):1191

h-indeksi (WOS):23