

Prof.Dr. MUSTAFA SAVCI

Kişisel Bilgiler

İş Telefonu: [+90 312 210 3284](tel:+903122103284)

E-posta: savci@metu.edu.tr

Web: <https://avesis.metu.edu.tr/savci>

Uluslararası Araştırmacı ID'leri

ScholarID: H9GcGBQAAAAJ

ORCID: 0000-0002-6221-4595

Publons / Web Of Science ResearcherID: ABA-5351-2021

ScopusID: 003734006

Eğitim Bilgileri

Doktora, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, Türkiye 1980 - 1984

Yüksek Lisans, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, Türkiye 1974 - 1980

Lisans, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, Türkiye 1970 - 1974

Yabancı Diller

İngilizce, C1 İleri

Yaptığı Tezler

Doktora, General non-linear realization of chiral $SU(2) \times SU(2)$ symmetry in curved isospin space , Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1984

Yüksek Lisans, Breit's potential for fermions with anomalous (chromomagnetic) magnetic moment, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1980

Araştırma Alanları

Fizik, Temel Bilimler

Akademik Unvanlar / Görevler

Prof.Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1999 - Devam Ediyor

Doç.Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1998 - 1999

Yrd.Doç.Dr., Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1987 - 1998

Araştırma Görevlisi, Orta Doğu Teknik Üniversitesi, Fen Edebiyat Fakültesi, Fizik Bölümü, 1979 - 1987

Yönetilen Tezler

- SAVCI M., Light cone QCD sum rules and meson physics, Doktora, İ.KANIK(Öğrenci), 2008
- SAVCI M., Nadir b-meson bozunumlarının model'den bağımsız analizi, Doktora, M.Kerim(Öğrenci), 2004
- SAVCI M., Model independent analysis of rare exclusive B-meson decays, Doktora, M.KERİM(Öğrenci), 2004
- SAVCI M., Application of light cone QCD sum rules to hadron physics, Doktora, A.ÖZPINECİ(Öğrenci), 2001
- SAVCI M., Rare semileptonic B-z+z- and B-Sz+z- decays in the standard model, Yüksek Lisans, M.KERİM(Öğrenci), 1999
- SAVCI M., Properties of the Bc mesons in QCD, Yüksek Lisans, U.SERİNCAN(Öğrenci), 1998

SCI, SSCI ve AHCI İndekslerine Giren Dergilerde Yayınlanan Makaleler

- I. **The study of weak decays induced by [Formula presented] transition in light-cone sum rules**
ALIYEV T., BİLMİŞ S., SAVCI M.
Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, cilt.847, 2023 (SCI-Expanded)
- II. **Looking for heavy axial tensor mesons via their strong decays in light cone QCD**
Aliyev T., Bilmis S., Çiftci R. A., Savci M.
Physical Review D, cilt.107, sa.5, 2023 (SCI-Expanded)
- III. **Charmed baryon $\omega c0 \rightarrow \omega^- l^+ l^-$ and $\omega c0 \rightarrow \omega^- \pi^+ (\rho^+)$ decays in light cone sum rules**
Aliyev T., Savci M., Bilmis S.
Physical Review D, cilt.106, sa.7, 2022 (SCI-Expanded)
- IV. **Weak Xi (QQ) $\rightarrow \Sigma(Q)l(+)/l(-)$ decays induced by FCNC in QCD**
ALIYEV T., Savci M., BİLMİŞ S.
EUROPEAN PHYSICAL JOURNAL C, cilt.82, sa.10, 2022 (SCI-Expanded)
- V. **Analysis of FCNC $\Xi q\bar{q} \rightarrow \Lambda q\bar{l}+\bar{l}$ - decay in light-cone sum rules**
ALIYEV T., SAVCI M., BİLMİŞ S.
Physical Review D, cilt.106, sa.3, 2022 (SCI-Expanded)
- VI. **Determination of the spectroscopic parameters of beauty-partners of Tcc from QCD**
ALIYEV T., SAVCI M., BİLMİŞ S.
Physical Review D, cilt.105, sa.7, 2022 (SCI-Expanded)
- VII. **Light-cone sum rules for radial excitation of decuplet to octet baryons electromagnetic transition form factors**
ALIYEV T., BİLMİŞ S., Savci M.
MODERN PHYSICS LETTERS A, cilt.36, sa.34, 2021 (SCI-Expanded)
- VIII. **Semileptonic baryon decays in the light cone QCD sum rules**
ALIYEV T., BİLMİŞ S., SAVCI M.
Physical Review D, cilt.104, sa.5, 2021 (SCI-Expanded)
- IX. **$\gamma^* N \rightarrow \Delta^+ (1600)$ transition form factors in light-cone sum rules**
Aliev T., Barakat T., Bilmis S., Savci M.
Physical Review D, cilt.101, sa.11, 2020 (SCI-Expanded)
- X. **Multipole moments of heavy vector and axial-vector mesons in QCD**
Aliev T., Bilmis S., Savci M.
Physical Review D, cilt.101, sa.5, 2020 (SCI-Expanded)
- XI. **Are the new excited ωc baryons negative parity states?**
Aliev T., Bilmis S., Savci M.
Modern Physics Letters A, cilt.35, sa.1, 2020 (SCI-Expanded)
- XII. **Radiative decays of the p-wave charmed heavy baryons**
Aliev T., Barakat T., Savci M.
EUROPEAN PHYSICAL JOURNAL C, cilt.79, sa.5, 2019 (SCI-Expanded)
- XIII. **Study of the Lambda(b) $\rightarrow N^* l(+)/l(-)$ decay in light cone sum rules**
Aliev T., Barakat T., Savci M.
EUROPEAN PHYSICAL JOURNAL C, cilt.79, sa.5, 2019 (SCI-Expanded)
- XIV. **Radiative decays of the heavy tensor mesons in light cone QCD sum rules**

- ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.99, sa.1, 2019 (SCI-Expanded)
- XV. **Form factors for the rare Lambda(b)(Lambda*(b)) -> Nl(+)l(-) decays in light cone QCD sum rules**
 Aliyev T., Barakat T., Savci M.
 PHYSICAL REVIEW D, cilt.98, 2018 (SCI-Expanded)
- XVI. **Magnetic dipole moments of the negative parity J(PC)=2(--) mesons in QCD**
 Aliyev T., Barakat T., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.78, 2018 (SCI-Expanded)
- XVII. **Reanalysis of Omega(c) -> Xi K+(c)- Decay in QCD**
 ALIYEV T., BİLMİŞ S., SAVCI M.
 ADVANCES IN HIGH ENERGY PHYSICS, cilt.2018, 2018 (SCI-Expanded)
- XVIII. **Strong coupling constant of a negative parity nucleon with a pi meson in light-cone QCD sum rules**
 ALIYEV T., Barakat T., SAVCI M.
 PHYSICAL REVIEW C, cilt.95, sa.3, 2017 (SCI-Expanded)
- XIX. **Magnetic moment of the X-Q state with J(PC)=1(+-/-) in light cone QCD sumrules**
 Agamaliev A. K., ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.95, sa.3, 2017 (SCI-Expanded)
- XX. **Radiative decays of negative parity heavy baryons in the framework of the light cone QCD sum rules**
 Agamaliev A. K., ALIYEV T., SAVCI M.
 NUCLEAR PHYSICS A, cilt.958, ss.38-47, 2017 (SCI-Expanded)
- XXI. **Strong Coupling Constants of Negative Parity Heavy Baryons with pi and K Mesons**
 ALIYEV T., BİLMİŞ S., SAVCI M.
 ADVANCES IN HIGH ENERGY PHYSICS, 2017 (SCI-Expanded)
- XXII. **Strong coupling constant of negative parity octet baryons with light pseudoscalar mesons in light cone QCD sum rules**
 ALIYEV T., SAVCI M.
 NUCLEAR PHYSICS A, cilt.957, ss.391-405, 2017 (SCI-Expanded)
- XXIII. **Determination of the Sigma-Lambda mixing angle from QCD sum rules**
 ALIYEV T., Barakat T., SAVCI M.
 JOURNAL OF HIGH ENERGY PHYSICS, sa.8, 2016 (SCI-Expanded)
- XXIV. **Magnetic moment for the negative parity Lambda -> Sigma(0) transition in light cone QCD sum rules**
 ALIYEV T., SAVCI M.
 PHYSICS LETTERS B, cilt.758, ss.347-354, 2016 (SCI-Expanded)
- XXV. **Strong decay constants of heavy tensor mesons in light cone QCD sum rules**
 Alhendi H. A., ALIYEV T., SAVCI M.
 JOURNAL OF HIGH ENERGY PHYSICS, sa.4, 2016 (SCI-Expanded)
- XXVI. **Analysis of the radiative decays Sigma(Q) -> Lambda(Q)gamma and Xi '(Q) -> Xi(Q)gamma in light cone sum rules**
 ALIYEV T., Barakat T., SAVCI M.
 PHYSICAL REVIEW D, cilt.93, sa.5, 2016 (SCI-Expanded)
- XXVII. **Magnetic dipole moments of the heavy tensor mesons in QCD**
 ALIYEV T., Barakat T., SAVCI M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.75, sa.11, 2015 (SCI-Expanded)
- XXVIII. **Diagonal and transition magnetic moments of negative parity heavy baryons in QCD sum rules**
 ALIYEV T., AZİZİ K., Barakat T., SAVCI M.
 PHYSICAL REVIEW D, cilt.92, sa.3, 2015 (SCI-Expanded)
- XXIX. **Magnetic moments of heavy J(P)=1/2(+) baryons in light cone QCD sum rules**
 ALIYEV T., Barakat T., SAVCI M.
 PHYSICAL REVIEW D, cilt.91, sa.11, 2015 (SCI-Expanded)
- XXX. **Determination of the mixing angle between new charmonium states**
 ALIYEV T., SAVCI M.

- EUROPEAN PHYSICAL JOURNAL C, cilt.75, sa.4, 2015 (SCI-Expanded)
- XXXI. More about the Mass of the New Charmonium States**
 Aliev T., ÖZSAHİN H., SAVCI M.
 ADVANCES IN HIGH ENERGY PHYSICS, 2015 (SCI-Expanded)
- XXXII. Magnetic moments of $J(P)=3/2$ -baryons in QCD**
 ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.90, sa.11, 2014 (SCI-Expanded)
- XXXIII. $\gamma^*N \rightarrow N^*(1520)$ transition form factors in light cone QCD sum rules**
 ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.90, sa.9, 2014 (SCI-Expanded)
- XXXIV. Octet negative parity to octet positive parity electromagnetic transitions in light cone QCD**
 ALIYEV T., SAVCI M.
 JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.41, sa.7, 2014 (SCI-Expanded)
- XXXV. Properties of triply heavy spin-3/2 baryons**
 ALIYEV T., AZİZİ K., SAVCI M.
 JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.41, sa.6, 2014 (SCI-Expanded)
- XXXVI. Magnetic moments of $\Xi^*(Q)-\Xi(Q)$ transitions in light cone QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICAL REVIEW D, cilt.89, sa.5, 2014 (SCI-Expanded)
- XXXVII. Magnetic moments of negative parity baryons in QCD**
 ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.89, sa.5, 2014 (SCI-Expanded)
- XXXVIII. $\gamma^*N \rightarrow N(1535)$ transition form factors in QCD**
 ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.88, sa.5, 2013 (SCI-Expanded)
- XXXIX. Electromagnetic transitions among octet and decuplet baryons in QCD**
 ALIYEV T., ÖKTEM Y., SAVCI M.
 PHYSICAL REVIEW D, cilt.88, sa.3, 2013 (SCI-Expanded)
- XL. Electromagnetic form factors of octet baryons in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICS LETTERS B, cilt.723, ss.145-155, 2013 (SCI-Expanded)
- XLI. The masses and residues of doubly heavy spin-3/2 baryons**
 ALIYEV T., AZİZİ K., SAVCI M.
 JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.40, sa.6, 2013 (SCI-Expanded)
- XLII. Analysis of $\gamma^*(*) \Lambda \rightarrow \Sigma(0)$ transition in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICAL REVIEW D, cilt.87, sa.9, 2013 (SCI-Expanded)
- XLIII. Masses and residues of the triply heavy spin-1/2 baryons**
 ALIYEV T., AZİZİ K., SAVCI M.
 JOURNAL OF HIGH ENERGY PHYSICS, sa.4, 2013 (SCI-Expanded)
- XLIV. Lepton polarization effects in $\Lambda(b) \rightarrow \Lambda l(+)\bar{l}(-)$ decay in family non-universal Z' model**
 ALIYEV T., SAVCI M.
 PHYSICS LETTERS B, cilt.718, sa.2, ss.566-572, 2012 (SCI-Expanded)
- XLV. Doubly heavy spin-1/2 baryon spectrum in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 NUCLEAR PHYSICS A, cilt.895, ss.59-70, 2012 (SCI-Expanded)
- XLVI. Analysis of $\Lambda(b) \rightarrow \Lambda l(+)\bar{l}(-)$ decay within family non-universal Z' model**
 ALIYEV T., SAVCI M.
 NUCLEAR PHYSICS B, cilt.863, sa.2, ss.398-409, 2012 (SCI-Expanded)
- XLVII. Mixing angle of doubly heavy baryons in QCD**

- ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICS LETTERS B, cilt.715, ss.149-151, 2012 (SCI-Expanded)
- XLVIII. VECTOR MESON DOMINANCE AND RADIATIVE DECAYS OF HEAVY SPIN-3/2 BARYONS TO HEAVY SPIN-1/2 BARYONS**
 ALIYEV T., SAVCI M., Zamiralov V. S.
 MODERN PHYSICS LETTERS A, cilt.27, sa.11, 2012 (SCI-Expanded)
- XLIX. $B \rightarrow K(2)l(+)\bar{l}(-)$ decay beyond the standard model**
 ALIYEV T., SAVCI M.
 PHYSICAL REVIEW D, cilt.85, sa.1, 2012 (SCI-Expanded)
- L. Strong coupling constants of heavy spin-3/2 baryons with light pseudoscalar mesons**
 ALIYEV T., AZİZİ K., SAVCI M.
 NUCLEAR PHYSICS A, ss.58-71, 2011 (SCI-Expanded)
- LI. Nucleon tensor form factors induced by isovector and isoscalar currents in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICAL REVIEW D, cilt.84, sa.7, 2011 (SCI-Expanded)
- LII. Vertices of the heavy spin-3/2 sextet baryons with light vector mesons in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 EUROPEAN PHYSICAL JOURNAL A, cilt.47, sa.10, 2011 (SCI-Expanded)
- LIII. Spin-3/2 to spin-1/2 heavy baryons and pseudoscalar mesons transitions in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.71, sa.6, 2011 (SCI-Expanded)
- LIV. Tensor form factors of $B \rightarrow K-1$ transition from QCD light cone sum rules**
 ALIYEV T., SAVCI M., Yang K.
 PHYSICS LETTERS B, cilt.700, sa.1, ss.55-64, 2011 (SCI-Expanded)
- LV. Analysis of heavy spin-3/2 baryon-heavy spin-1/2 baryon-light vector meson vertices in QCD**
 ALIYEV T., AZİZİ K., SAVCI M., Zamiralov V. S.
 PHYSICAL REVIEW D, cilt.83, sa.9, 2011 (SCI-Expanded)
- LVI. Heavy baryon-light vector meson couplings in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 NUCLEAR PHYSICS A, cilt.852, sa.1, ss.141-154, 2011 (SCI-Expanded)
- LVII. Strong coupling constants of light pseudoscalar mesons with heavy baryons in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICS LETTERS B, cilt.696, sa.3, ss.220-226, 2011 (SCI-Expanded)
- LVIII. Strong transitions of decuplet to octet baryons and pseudoscalar mesons**
 Aliev T., AZİZİ K., SAVCI M.
 NUCLEAR PHYSICS A, cilt.847, ss.101-117, 2010 (SCI-Expanded)
- LIX. Strong coupling constants of decuplet baryons with vector mesons**
 Aliev T., AZİZİ K., SAVCI M.
 PHYSICAL REVIEW D, cilt.82, sa.9, 2010 (SCI-Expanded)
- LX. Magnetic dipole moment of the light tensor mesons in light cone QCD sum rules**
 ALIYEV T., AZİZİ K., SAVCI M.
 JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.37, sa.7, 2010 (SCI-Expanded)
- LXI. Heavy chi(Q) (2) tensor mesons in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICS LETTERS B, cilt.690, sa.2, ss.164-167, 2010 (SCI-Expanded)
- LXII. Semileptonic decays of pseudoscalar mesons to the scalar $f(0)$ meson**
 ALIYEV T., SAVCI M.
 EPL, cilt.90, sa.6, 2010 (SCI-Expanded)
- LXIII. Analysis of the Lambda b \rightarrow Lambda l(+)\bar{l}(-) decay in QCD**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICAL REVIEW D, cilt.81, sa.5, 2010 (SCI-Expanded)

- LXIV. **Light vector meson octet-decuplet baryon vertices in QCD**
 ALIYEV T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.
 PHYSICAL REVIEW D, cilt.81, sa.5, 2010 (SCI-Expanded)
- LXV. **Electric quadrupole and magnetic octupole moments of the light decuplet baryons within light cone QCD sum rules**
 ALIYEV T., AZİZİ K., SAVCI M.
 PHYSICS LETTERS B, cilt.681, sa.3, ss.240-246, 2009 (SCI-Expanded)
- LXVI. **Pseudoscalar-meson decuplet-baryon coupling constants in light cone QCD**
 ALIYEV T., AZİZİ K., ÖZPİNECİ A., SAVCI M.
 PHYSICAL REVIEW D, cilt.80, sa.9, 2009 (SCI-Expanded)
- LXVII. **Magnetic and quadrupole moments of light spin-1 mesons in light cone QCD sum rules**
 ALIYEV T., ÖZPİNECİ A., SAVCI M.
 PHYSICS LETTERS B, cilt.678, sa.5, ss.470-476, 2009 (SCI-Expanded)
- LXVIII. **Vector meson-baryon strong coupling constants in light cone QCD sum rules**
 Aliev T., ÖZPİNECİ A., SAVCI M., Zamiralov V. S.
 PHYSICAL REVIEW D, cilt.80, sa.1, 2009 (SCI-Expanded)
- LXIX. **Unparticle effects in rare $t \rightarrow cg\bar{g}$ decay**
 Aliev T., BEKMEZCİ A., SAVCI M.
 PHYSICAL REVIEW D, cilt.78, sa.5, 2008 (SCI-Expanded)
- LXX. **Nucleon electromagnetic form factors in QCD**
 Aliev T., Azizi K., ÖZPİNECİ A., SAVCI M.
 PHYSICAL REVIEW D, cilt.77, sa.11, 2008 (SCI-Expanded)
- LXXI. **Analysis of rare $B \rightarrow K-0^*(*)1430l(+)-l(-)$ decay within QCD sum rules**
 Aliev T., Azizi K., SAVCI M.
 PHYSICAL REVIEW D, cilt.76, sa.7, 2007 (SCI-Expanded)
- LXXII. **Double-lepton polarization asymmetries in $\Lambda(b) \rightarrow \Lambda l(+)-l(-)$ decay in universal extra dimension model**
 Aliev T., Savci M., Sirvanli B. B.
 EUROPEAN PHYSICAL JOURNAL C, cilt.52, sa.2, ss.375-382, 2007 (SCI-Expanded)
- LXXIII. **$\Lambda(b) \rightarrow \Lambda l(+)-l(-)$ decay in universal extra dimensions**
 Aliev T., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.50, sa.1, ss.91-99, 2007 (SCI-Expanded)
- LXXIV. **Scalar form factor of the nucleon and nucleon-scalar meson coupling constant in QCD**
 Aliev T., Savci M.
 PHYSICAL REVIEW D, cilt.75, sa.4, 2007 (SCI-Expanded)
- LXXV. **Possible manifestation of new scalar interaction in P-odd asymmetries in $\Lambda(b) \rightarrow \Lambda l(+)-l(-)(T)(T)$ decay**
 Aliev T., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.48, sa.1, ss.117-123, 2006 (SCI-Expanded)
- LXXVI. **Analysis of the semileptonic $B-c \rightarrow B(u)^(*)l(+)-l(-)$ decay from QCD sum rules**
 Aliev T., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.47, sa.2, ss.413-421, 2006 (SCI-Expanded)
- LXXVII. **Analysis of exclusive $B-s \rightarrow D-s0(2317)l(v)\overline{l}(e)$ decay with QCD sum rules**
 Aliev T., Savci M.
 PHYSICAL REVIEW D, cilt.73, sa.11, 2006 (SCI-Expanded)
- LXXVIII. **Polarization effects in exclusive semileptonic $\Lambda(b) \rightarrow \Lambda l(+)-l(-)$**
 Aliev T., Savci M.
 JOURNAL OF HIGH ENERGY PHYSICS, sa.5, 2006 (SCI-Expanded)
- LXXIX. **Exclusive $B \rightarrow \rho l(+)-l(-)$ decay and polarized lepton pair forward-backward asymmetries**
 Aliev T., Bashiry V., Savci M.
 PHYSICAL REVIEW D, cilt.73, sa.3, 2006 (SCI-Expanded)

- LXXX. **Double-lepton polarization asymmetries in the exclusive $B \rightarrow \rho l^+l^-$ decay beyond the standard model**
 Aliev T., Bashiry V., Savci M.
 PHYSICAL REVIEW D, cilt.72, sa.3, 2005 (SCI-Expanded)
- LXXXI. **Polarized forward-backward asymmetries of leptons in $B_s \rightarrow l^+l^-\gamma$ decay**
 Alieva T., Bashiry V., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.40, sa.4, ss.505-514, 2005 (SCI-Expanded)
- LXXXII. **Forward-backward asymmetries in $\Lambda(b) \rightarrow \Lambda l^+l^-$ decay beyond the standard model**
 Aliev T., Bashiry V., Savci M.
 NUCLEAR PHYSICS B, cilt.709, ss.115-140, 2005 (SCI-Expanded)
- LXXXIII. **Double-lepton polarizations in $B \rightarrow l^+l^-\gamma$ decay**
 Aliev T., Bashiry V., Savci M.
 PHYSICAL REVIEW D, cilt.71, sa.3, 2005 (SCI-Expanded)
- LXXXIV. **Double-lepton polarization asymmetries in $\Lambda(b) \rightarrow \Lambda l^+l^-$ decay**
 Aliev T., Bashiry V., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.38, sa.3, ss.283-295, 2004 (SCI-Expanded)
- LXXXV. **Form factors of $D_s(+) \rightarrow \phi(l)\bar{\nu}$ decay in QCD light cone sum rule**
 Aliev T., Ozpineci A., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.38, sa.1, ss.85-91, 2004 (SCI-Expanded)
- LXXXVI. **Electromagnetic form factors of the rho meson in light cone QCD sum rules**
 Aliev T., Savci M.
 PHYSICAL REVIEW D, cilt.70, sa.9, 2004 (SCI-Expanded)
- LXXXVII. **Double-lepton polarization asymmetries in the $B \rightarrow K l^+l^-$ decay beyond the standard model**
 Aliev T., Bashiry V., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.35, sa.2, ss.197-206, 2004 (SCI-Expanded)
- LXXXVIII. **Polarized lepton pair forward-backward asymmetries in $B \rightarrow K^* l^+l^-$ decay beyond the standard model**
 Aliev T., Bashiry V., Savci M.
 JOURNAL OF HIGH ENERGY PHYSICS, sa.5, 2004 (SCI-Expanded)
- LXXXIX. **General analysis of CP-violation in polarized $b \rightarrow d l^+l^-$ decay**
 Aliev T., Bashiry V., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.31, sa.4, ss.511-523, 2003 (SCI-Expanded)
- XC. **$\phi \rightarrow K\bar{K}$ decay in light cone QCD**
 Aliev T., Kanik I., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.31, sa.2, ss.197-201, 2003 (SCI-Expanded)
- XCI. **Magnetic moment of the rho meson in QCD light cone sum rules**
 Aliev T., Kanik I., Savci M.
 PHYSICAL REVIEW D, cilt.68, sa.5, 2003 (SCI-Expanded)
- XCII. **Form factor for penguin-induced $B \rightarrow \eta$ transition in light cone QCD sum rule**
 Aliev T., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.29, sa.4, ss.515-519, 2003 (SCI-Expanded)
- XCIII. **Fourth generation effects in processes induced by the $b \rightarrow s$ transition**
 Aliev T., Ozpineci A., Savci M.
 EUROPEAN PHYSICAL JOURNAL C, cilt.29, sa.2, ss.265-270, 2003 (SCI-Expanded)
- XCIV. **Model independent analysis of Lambda baryon polarizations in $\Lambda(b) \rightarrow \Lambda l^+l^-$ decay**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.67, sa.3, 2003 (SCI-Expanded)
- XCV. **Exclusive $\Lambda(b) \rightarrow \Lambda l^+l^-$ decay beyond standard model**
 Aliev T., Ozpineci A., Savci M.
 NUCLEAR PHYSICS B, cilt.649, ss.168-188, 2003 (SCI-Expanded)
- XCVI. **T-odd correlations in $B \rightarrow K^*(*)l^+l^-$ decay beyond the standard model**

- Aliev T., Ozpineci A., Savci M., Yuce C.
 PHYSICAL REVIEW D, cilt.66, sa.11, 2002 (SCI-Expanded)
- XCVII. **T violation in Lambda b ->Lambda l(+)-l(-) decay beyond standard model**
 Aliev T., Ozpineci A., Savci M., Yuce C.
 PHYSICS LETTERS B, cilt.542, ss.229-238, 2002 (SCI-Expanded)
- XCVIII. **Octet baryon magnetic moments in light cone QCD sum rules**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.66, sa.1, 2002 (SCI-Expanded)
- XCIX. **New physics effects in Lambda(b)->Lambda l(+)-l(-) decay with lepton polarizations**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.65, sa.11, 2002 (SCI-Expanded)
- C. **Magnetic moments of Lambda(b) and Lambda(c) baryons in light cone QCD sum rules**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.65, sa.5, 2002 (SCI-Expanded)
- CI. **Radiative phi -> f(0)(980)gamma decay in light cone QCD sum rules**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.527, ss.193-198, 2002 (SCI-Expanded)
- CII. **General analysis of time evolution of decay spectrum in B-0 -> pi(+)pi(-)l(+)l(-)**
 Aliev T., Ozpineci A., Savci M.
 NUCLEAR PHYSICS B, cilt.621, ss.479-494, 2002 (SCI-Expanded)
- CIII. **Sigma(Q)Lambda(Q) transition magnetic moments in light cone QCD sum rules**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.65, sa.9, ss.9, 2002 (SCI-Expanded)
- CIV. **Rare B -> l(+)-l(-)gamma decay and new physics effects**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.520, ss.69-77, 2001 (SCI-Expanded)
- CV. **The Sigma(0)Lambda transition magnetic moment in light cone QCD sum rules**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.516, ss.299-306, 2001 (SCI-Expanded)
- CVI. **General analysis of lepton polarizations in rare B -> K*l(+)-l(-) decay beyond the standard model**
 Aliev T., Cakmak M., Savci M.
 NUCLEAR PHYSICS B, cilt.607, ss.305-325, 2001 (SCI-Expanded)
- CVII. **Exclusive B -> K*l(+)-l(-) decay with polarized K* and new physics effects**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.511, sa.1, ss.49-58, 2001 (SCI-Expanded)
- CVIII. **Rare B -> K*nu(nu)over-bar decay beyond standard model**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.506, ss.77-84, 2001 (SCI-Expanded)
- CIX. **The gK(0)(*)K pi coupling constant in QCD**
 Aliev T., Savci M., Yasuk F.
 ACTA PHYSICA POLONICA B, cilt.32, sa.1, ss.65-74, 2001 (SCI-Expanded)
- CX. **Meson-baryon couplings and the F/D ratio in light cone QCD**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.64, sa.3, ss.10, 2001 (SCI-Expanded)
- CXI. **New physics effects to the lepton polarizations in the B -> Kl(+)-l(-) decay**
 Aliev T., Cakmak M., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.64, sa.5, ss.10, 2001 (SCI-Expanded)
- CXII. **Exclusive semileptonic B ->pi(+)pi(-)l(+)l(-) decay beyond the standard model**
 Aliev T., Savci M.
 PHYSICAL REVIEW D, cilt.62, sa.11, 2000 (SCI-Expanded)
- CXIII. **Magnetic moments of Delta baryons in light cone QCD sum rules**

- Aliev T., Ozpineci A., Savci M.
NUCLEAR PHYSICS A, cilt.678, sa.4, ss.443-454, 2000 (SCI-Expanded)
- CXIV. Fourth generation effects in rare exclusive $B \rightarrow K^* l(+)l(-)$ decay**
Aliev T., Ozpineci A., Savci M.
NUCLEAR PHYSICS B, cilt.585, ss.275-289, 2000 (SCI-Expanded)
- CXV. Probing the sources of CP violation via $B \rightarrow K^* l(+)l(-)$ decay**
Aliev T., Demir D., Savci M.
PHYSICAL REVIEW D, cilt.62, sa.7, 2000 (SCI-Expanded)
- CXVI. Magnetic moments of decuplet baryons in light cone QCD**
Aliev T., Ozpineci A., Savci M.
PHYSICAL REVIEW D, cilt.62, sa.5, ss.1-8, 2000 (SCI-Expanded)
- CXVII. Exclusive $\Lambda(b) \rightarrow \Lambda l(+)l(-)$ decay in a two-Higgs-doublet model**
Aliev T., Savci M.
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.26, sa.7, ss.997-1009, 2000 (SCI-Expanded)
- CXVIII. Lepton polarization and CP-violating effects in $B \rightarrow K^* \tau(+) \tau(-)$ decay in standard and two Higgs doublet models**
Aliev T., Savci M.
PHYSICS LETTERS B, cilt.481, ss.275-286, 2000 (SCI-Expanded)
- CXIX. More about on the short distance contribution to the $B_c \rightarrow B^- \mu^+ \gamma$ decay**
Aliev T., Savci M.
PHYSICS LETTERS B, cilt.480, ss.97-104, 2000 (SCI-Expanded)
- CXX. $g(K\Lambda N)$ and $g(K\bar{\Sigma}N)$ coupling constants in light cone QCD sum rules**
Aliev T., Savci M.
PHYSICAL REVIEW C, cilt.61, sa.4, 2000 (SCI-Expanded)
- CXXI. Pion-baryon coupling constants in light cone QCD sum rules**
Aliev T., Savci M.
PHYSICAL REVIEW D, cilt.61, sa.1, 2000 (SCI-Expanded)
- CXXII. Radiative Delta $\rightarrow N \gamma$ decay in light cone QCD**
Aliev T., Savci M.
PHYSICAL REVIEW D, cilt.60, sa.11, 1999 (SCI-Expanded)
- CXXIII. Semileptonic $B \rightarrow a(1)l \nu$ decay in QCD**
Aliev T., Savci M.
PHYSICS LETTERS B, cilt.456, ss.256-263, 1999 (SCI-Expanded)
- CXXIV. Radiative $B_c \rightarrow \tau(\nu)/\tilde{\tau}\gamma$ decay**
Aliev T., Savci M.
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.25, sa.6, ss.1205-1211, 1999 (SCI-Expanded)
- CXXV. The $B \rightarrow X(d)l(+)l(-)$ decay in general two Higgs doublet model**
Aliev T., Savci M.
PHYSICS LETTERS B, cilt.452, ss.318-326, 1999 (SCI-Expanded)
- CXXVI. Exclusive radiative weak decays of B_c meson in light cone QCD**
Aliev T., Savci M.
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.24, sa.12, ss.2223-2228, 1998 (SCI-Expanded)
- CXXVII. $B_c \rightarrow l(\nu)/\bar{l}\gamma$ decay in light cone QCD**
Aliev T., Savci M.
PHYSICS LETTERS B, cilt.434, ss.358-364, 1998 (SCI-Expanded)
- CXXVIII. Excited heavy masons decay form factors in light cone QCD**
Aliev T., Savci M., Ozpineci A.
PHYSICS LETTERS B, cilt.422, ss.257-264, 1998 (SCI-Expanded)
- CXXIX. Two Higgs doublet model and lepton polarization in the $B \rightarrow K \tau(+) \tau(-)$ decay**
Aliev T., Savci M., Ozpineci A., Koru H.
JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.24, sa.1, ss.49-65, 1998 (SCI-Expanded)

- CXXX. **Rare $B \rightarrow K^* l(+)l(-)$ decay, two Higgs doublet model, and light cone QCD sum rules**
 Aliev T., Savci M., Ozpineci A., Koru H.
 PHYSICS LETTERS B, cilt.410, ss.216-228, 1997 (SCI-Expanded)
- CXXXI. **Rare $B \rightarrow K^* l(+)l(-)$ decay in light cone QCD**
 Aliev T., Savci M., Ozpineci A.
 PHYSICAL REVIEW D, cilt.56, sa.7, ss.4260-4267, 1997 (SCI-Expanded)
- CXXXII. **$B \rightarrow q \rightarrow l(+)l(-)\gamma$ decays in light cone QCD**
 Aliev T., Ozpineci A., Savci M.
 PHYSICAL REVIEW D, cilt.55, sa.11, ss.7059-7066, 1997 (SCI-Expanded)
- CXXXIII. **Light cone QCD sum rule analysis of $B \rightarrow Kl(+)l(-)$ decay**
 Aliev T., Koru H., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.400, ss.194-205, 1997 (SCI-Expanded)
- CXXXIV. **Rare $B \rightarrow v(v)\bar{\nu}$ -gamma decay in light cone QCD sum rule**
 Aliev T., Ozpineci A., Savci M.
 PHYSICS LETTERS B, cilt.393, ss.143-148, 1997 (SCI-Expanded)
- CXXXV. **The strong coupling constants of excited positive parity heavy mesons in light-cone QCD**
 Aliev T., Pak N., Savci M.
 PHYSICS LETTERS B, cilt.390, ss.335-340, 1997 (SCI-Expanded)
- CXXXVI. **The strong $g(B^{**}B\pi)$ coupling constant in full QCD**
 Aliev T., Savci M.
 JOURNAL OF PHYSICS G-NUCLEAR AND PARTICLE PHYSICS, cilt.22, sa.12, ss.1759-1763, 1996 (SCI-Expanded)
- CXXXVII. **ELECTROMAGNETIC-MASS DIFFERENCES OF NUCLEONS AND DELTA-BARYONS IN THE SKYRME MODEL**
 EBRAHIM A., SAVCI M.
 PHYSICS LETTERS B, cilt.227, sa.1, ss.6-9, 1989 (SCI-Expanded)
- CXXXVIII. **ELECTROMAGNETIC H-3-HE-3 MASS DIFFERENCE IN THE SKYRME MODEL**
 EBRAHIM A., SAVCI M.
 PHYSICS LETTERS B, cilt.215, sa.3, ss.457-459, 1988 (SCI-Expanded)
- CXXXIX. **CHIRAL SU2XSU2 SYMMETRY-BREAKING IN THE SKYRME-YANG-MILLS MODEL**
 EBRAHIM A., SAVCI M.
 PHYSICS LETTERS B, cilt.200, ss.156-160, 1988 (SCI-Expanded)
- CXL. **BARYON MASSES IN THE SKYRME YANG-MILLS MODEL**
 EBRAHIM A., SAVCI M.
 PHYSICS LETTERS B, cilt.193, sa.4, ss.509-513, 1987 (SCI-Expanded)
- CXLI. **ELECTROMAGNETIC NEUTRONPROTON MASS DIFFERENCE IN THE SKYRME MODEL**
 EBRAHIM A., SAVCI M.
 PHYSICS LETTERS B, cilt.189, sa.3, ss.343-346, 1987 (SCI-Expanded)

Hakemli Kongre / Sempozyum Bildiri Kitaplarında Yer Alan Yayınlar

- I. **MAGNETIC DIPOLE AND QUADRUPOLE MOMENTS OF HEAVY VECTOR AND AXIAL-VECTOR MESONS IN LIGHT CONE SUM RULES**
 Aliev T., Bilmis S., Savci M.
 7th International Conference on Control and Optimization with Industrial Applications (COIA), ELECTR NETWORK, 26 - 28 Ağustos 2020, ss.104-106
- II. **Properties of doubly and triply heavy baryons**
 AZİZİ K., ALIYEV T., SAVCI M.
 11th International Conference on Hyperons, Charm and Beauty Hadrons (BEACH), Birmingham, Birleşik Krallık, 21 - 26 Temmuz 2014, cilt.556
- III. **Strong Coupling Constants of Heavy Baryons With Light Mesons in QCD**

Aliev T., AZİZİ K., SAVCI M.

International Workshop on Quantum Chromodynamics - Theory and Experiment (QCD at Work), Lecce, İtalya, 18 - 21 Haziran 2012, cilt.1492, ss.146-152

IV. Baryon-Baryon-Meson Coupling Constants in QCD

Aliev T., AZİZİ K., ÖZPİNECİ A., SAVCI M., Zamiralov V.

International Workshop on Quantum Chromodynamics: Theory and Experiment, Martina Franca, İtalya, 20 - 23 Haziran 2010, cilt.1317, ss.108-109

Desteklenen Projeler

ALIYEV T., ŞİMŞEK K., SAVCI M., TURAN İ., BİLMİŞ S., Yükseköğretim Kurumları Destekli Proje, İki Ağır Kuarktan Oluşan Baryon Sisteminin Özelliklerinin LHC Deneyinde Araştırılması, 2018 - 2019

SAVCI M., BİLMİŞ S., Yükseköğretim Kurumları Destekli Proje, Negatif pariteli mezon ve baryonların radiatif geçişleri, multipole manyetik momentlerinin incelenmesi, 2017 - 2017

ALIYEV T., SAVCI M., Yükseköğretim Kurumları Destekli Proje, Negative Parity Baryonlarının Özelliklerininincelenmesi, 2014 - 2014

ALIYEV T., SAVCI M., Yükseköğretim Kurumları Destekli Proje, Octet,decuplet Baryonları Ve Decuplet-Octet Geçişlerinin Electromagnetic Form Factor'ları, 2012 - 2013

SAVCI M., Yükseköğretim Kurumları Destekli Proje, Octet-Octet Meson, Decuplet-Octet Meson Geçişleri, Ağır Baryonların Zayıf Bozulmaları Ve Magnetic Momentlerinin Araştırılması, 2010 - 2010

Metrikler

Yayın: 145

Atıf (WoS): 2120

Atıf (Scopus): 1929

H-İndeks (WoS): 27

H-İndeks (Scopus): 26